

PRODUCTS

VERSATILE...

Uses and applications of Almetek products are limited only by one's imagination. With a wide variety of finishes, styles, sizes and colours, there is an Almetek product for every identification purpose.


TOUGH...

The materials used to make Almetek products have been vigorously tested to withstand even the most extreme conditions - indoors/ outdoors, land, sea, desert, above or below ground, conductive/ non-conductive, etc.

GUARANTEED...

Almetek is confident in the performance and durability of their products, offering the best warranties in the industry – with products warranted for up to 30 years!

POLE TAGS E–Z Tags



Material	Warranted Life	Chemical Resistance	Available Colours	Specs
Aluminium	10 years	Excellent	Natural, Black on Natural, Black on Yellow	0.025″ x 1.594″ x .875″
Polyethylene	10-30 years	Excellent	Black on Yellow, Yellow on Black, Black on Orange	0.055″ x 1.5625″ x .875″

Almetek E-Z Tags are widely used in utility applications around the world including electric, telecommunication, CATV, gas and water.

ltem #	Finish
H100 & V100	Natural Embossed Aluminium
H300 & V300	Flat Printed Black/Yellow Aluminium
H400 & V400	Embossed Black/Natural Aluminium
H500 & V500	Embossed Black/Yellow Aluminium
H7OO & V7OO	Flat Printed Black/Yellow Reflective Aluminium
H900 & V900	Hot Stamped Black/Yellow Polyethylene
UE-HOO & UE-VOO UE-THOO_(tabs)	Ultima Engraved- Black/Yellow or Black/Orange, Reverse Contrast White/Black Polyethylene
SOHNA & SOVNA	Slide on Embossed Natural Aluminium
SOHBA & SOVBA_	Slide on Embossed Black on Aluminium
SOHBY & SOVBY_	Slide on Embossed Black on Yellow Aluminium

- 1" Horizontal or Vertical Numbers, Letters or Symbols (See aerial transmission plates for 2", 3", 4", 6", TR-2 and TR-6)
- Available in Aluminium, Brass or Polyethylene
- Styles include Flat, 30 Embossed, Reflective, Deep Stamped, Engraved & Printed
- Custom colours, sizes and languages available

POLE TAGS E-Z Tag Holders

Material	Warranted Life	Chemical Resistance	Available Colours	Sizes	Thickness
Aluminium	10 Years	Excellent	Natural	Any	.024″
Engraved Polyethylene	10-30 Years	Excellent	Black	Any	.050″



Standard Aluminum





Square Cut Poly

Large Channel (for Ultima Engraved Poly Tags)

Description	Polyethylene	Aluminium	Square Cut	Large Channel
Tag Holder 1 Character (custom size)	TH-1P	TH-1A	TH-1SP	TH-1SA
Tag Holder 2 Character (custom size)	TH-2P	TH-2A	TH-2SP	TH-2SA
Tag Holder 3 Character	TH-3P	TH-3A	TH-3SP	TH-3SA
Tag Holder 4 Character	TH-4P	TH-4A	TH-4SP	TH-4SA
Tag Holder 5 Character	TH-5P	TH-5A	TH-5SP	TH-5SA
Tag Holder 6 Character	TH-6P	TH-6A	TH-6SP	TH-6SA
Tag Holder 7 Character	TH-7P	TH-7A	TH-7SP	TH-7SA
Tag Holder 8 Character	TH-8P	TH-8A	TH-8SP	TH-8SA
Tag Holder 9 Character	TH-9P	TH-9A	TH-9SP	TH-9SA
Tag Holder 10 Character	TH-10P	TH-10A	TH-10SP	TH-10SA
Tag Holder 11 Character	TH-11P	TH-11A	TH-11SP	TH-11SA
Tag Holder 12 Character	TH-12P	TH-12A	TH-12SP	TH-12SA
10 Foot Poly Roll-100 Characters	TH-100P	N/A	N/A	N/A
100 Foot Poly Roll-1000 Characters	TH-1000P	N/A	N/A	N/A

POLE TAGS Storage Kits





ltem #	Description
TK-1S	Storage Kit for EZ Tags
Poly Divider	Poly Dividers for TK-1S 20/pk
TK-3S	Storage Kit for EZ Tags
Polyl-Div-TK-3S	Poly Dividers for TK-3S 20/pk

4

POLE TAGS One-Piece Pole Tags



Material	Warranted Life	Chemical Resistance	Available Colours	Specs
Engraved Polyethylene	10-30 years	Excellent	Black on Yellow, Yellow on Black, Black on Orange & Black on White	.125″ Thick. Sizes vary

Diverse, flexible, fast mounting and warranted for 30 years, Almetek's One-Piece Pole Tags are guaranteed to save you time and money. The unique one-piece design will virtually eliminate the costs and time associated with installing other types of tagging systems. Tags are manufactured in Co-Extruded UV Stabilized High Density Polyethylene, making them durable enough to last in even the harshest environments and extreme weather conditions.

- Quick and easy installation
- Flexible material allows for better fit to poles
- Manufactured with pre-punched mounting holes
- Made of UV stabilized HDPE
- Non-corrosive & non-conductive
- Abrasion, chip and fade resistant

- Performs in arid, frigid, marine and tropical environments
- Available in any size
- Sequential numbers, Barcode or RFID available
- Standard or Custom tags available
- Aluminium or stainless steel mounting bands available

and are available in Aluminium or polyethylene.

POLE TAGS Defective Pole Markers



DPM2A

Climb with

Caution



DPM2B

Caution Do Not Climb

DPM2C **Danger Do Not** Climb

Almetek's Defective Pole Markers warn workmen of unsafe conditions before climbing or working on poles. They are UV stabilized for years of extended outdoor use

ltem #'s	Sizes	Thickness
Aluminium DPM2A, DPM2B, DPM2C HDPE DPMPRA, DPMPRB, DPMPRC	2 ¹ / ₂ " x 2" 2 ¹ / ₂ " x 1 ⁹ / ₁₆ "	0.024

Material	Warranted life	Chemical Resistance	Available Colours
Hot-Stamped Polyethylene	15 years	Excellent	White on Red, Black on Yellow
Aluminium	10 years	Excellent	White on Red, Black on Yellow

POLE TAGS Inspection Tags

Material	Warranted Life	Chemical Resistance	Available Colours	Sizes	Thickness
Aluminium	10 years	Excellent	Natural, Black on Natural, Black on Yellow	Any	.025″
Engraved Polyehtylene	10-30 years	Excellent	Blackon Yellow, Yellow on Black, Black on Orange, Black on White	Any	.055″


Available in multiple shapes, sizes and colours, Almetek's Custom Inspection Tags exceed our clients expectations while fitting their budgets.

We offer the best prices and warranties in the industry as well as several material and finish options, each designed to withstand even the harshest outdoor conditions. We will work with you from prep to finish to ensure your satisfaction.

- Aluminium or HDPE
- Warranties up to 30 years
- Choice of shape and size
- Choice of finish
- Various colour options
- Stock & custom designs
- Your artwork or ours
- Any application, any environment
- Optional RFID/Barcode/Sequential Numbers



Standard Aluminum Shapes:



MINI TAGS


Material	Warranted Life	Chemical Resistance	Available Colours	Specs
UV HD Polyethylene	10-30 years	Excellent	Yellow, Grey. Custom colours available	.030" x 2.87" x 4.18"

When the need for a highly legible, long lasting, low cost and frequently changing identification system arises, Almetek's Mini-Tags provide an excellent solution. Cards can be ordered 0-9, A-Z w/ special characters, all one number/letter or custom configurations. Also available in convenient starter kit.



EACH KIT CONTAINS:

- 1 card each of A-Z, 0-9, To, From (50 characters each)
- 4 cards each of A-J, K-T, U-Z and spaces (20 characters)
- each, 1200 tags total) 50 assorted holders of your
- choice
- 1 set of index cards
- One 10' roll E-Z twist ties
- 25 T-2 2" diameter E-Z ties
- One steel storage kit with divider
- 25 button stops
- One role 48" x ¹/₂" coil allweather adhesive



+	D
	Card c
	Horiz
	Horiz
	Horiz
	Ver
	Ver
÷	Ver
Vertical HDPE	Vert
Holder (SV-)	Vert

Vert

Description	ltem #
Card of 50 Mini Tags	MT-0
Horizontal - 5 Tag	SH-5
Horizontal - 10 Tag	SH-10
Horizontal - 16 Tag	SH-16
Vertical - 3 Tag	SV-3
Vertical - 5 Tag	SV-5
Vertical - 6 Tag	SV-06
Vertical - 10 Tag	SV-10
Vertical - 16 Tag	SV-16
Horizontal - 10' Poly Coil	SH-100
Horizontal Single 100' Coil	SH-1000
Vertical - 10' Poly Coil	SV-100
	-

Horizontal HDPE Holder (SH-)

Vertical Dual HDPE Track Holder (DV-)

Description	ltem #
Horizontal Dual Track - 10 Tag	DH-10
Horizontal Dual Track - 20 Tag	DH-20
Horizontal Dual Track - 32 Tag	DH-32
Vertical Dual 6 Tag	DV-6
Vertical Dual 10 Tag	DV-10
Vertical Dual 20 Tag	DV-20
Horizontal Dual Convex 6 Tag	DH10ACONVEX6-HL
Horizontal Dual Concave 4 Tag	DH14ACONCAVE4
Horizontal Dual Convex 4 Tag w/ holes	DH14ACONCAVE4HL
Horizontal Dual Concave 6 Tag	DH14CONCAVE6
Horizontal Dual Convex 4 Tag	DH14CONVEX4
Horizontal Dual Convex 4 Tag w/holes	DH14CONVEX4-HL
Horizontal Dual Convex 6 Tag	DH14CONVEX6
Horizontal Dual Convex 8 Tag	DH14CONVEX8
Horizontal Dual Flat	DH14AFLAT
Horizontal Dual 10' Poly Coil	DH-100
Vertical Dual - 10' Poly Coil	DV-100

Horizontal Aluminum Dual Track Holder (DH-)





Horizontal HDPE Dual Track Holder (DH-)

SIGNS Co-Extruded Signs

Material	Warranted Life	Chemical Resistance	Available Colours	Finishes
UV HD Polyethylene	10-30 years	Excellent	Black on Orange, Black on Yellow, Yellow on Black & Black on White, Red on White, Blue on White	Engraved

When the need for a highly legible, long lasting, low cost and frequently changing identification system arises, Almetek's Mini-Tags provide an excellent solution. Cards can be ordered 0-9, A-Z w/ special characters, all one number/letter or custom configurations. Also available in convenient starter kit.



SIGNS Trident[®] Signs

Material	Warranted Life	Chemical Resistance	Available Colours	Finishes
UV HD Polyethylene	10-30 years	Excellent	WBLR - White, Blue, Red WBY - White, Blac, Yellow WBO - White, Black, Orange WBBL - White, Black, Blue WBG - White, Black, Green	Engraved



TRIDENT Signs are 3-D engraved, three-colour safety signs that are extremely durable. They are made of tri-extruded UV-stabilized, high-density marine grade polyethylene that resists extreme changes and variation in temperature or environments. They are impervious to virtually all acids, alkalis and caustic chemicals. Made without inks, paints or laminates, TRIDENT[™] signs will not fade, crack, chip or peel.



SIGNS Marina




Almetek's Marina Signs and Markers are available in several different styles and will enhance the look of any marina. Our products were designed to stand up to the weather and environmental conditions normally associated with salt I fresh water marinas.



Low Profile Co-Extruded Dock Marking Systems					
ltem #	Description	Thickness	Colours		
DS-3x3	3" x 3" Marker	.125″	Black, Red or Blue/White		
DS-5x5	5" x 5" Marker	.125″	Black, Red or Blue/White		
DS-4x6	4" x 6" Marker	.125″	Black, Red or Blue/White		

Dock Designation Signs					
ltem #	Description	Thickness	Colours		
DS-7x11	7″ x 11″ Sign	.125″	Red & Black/White		

Almetek is your source for NFPA Mandatory Signs as well as custom signage. All signs come with a 30-year warranty and are available in various sizes and styles.



Call for sizes and colors.

Per NFPA REG.30A 1 0-11.8



Mandatory Marina Signs					
ltem #	Description	Thickness	Colours		
MSI-21.5 x 30	Marina Fuel Sign	.125″	Red/White		
MSI-14 x 20	Emergency Shut Off Sign	.125″	Red/White		
MSI-14 x 20	Fuel Dispensing Sign	.125″	Red/White		
MSI-14 x 20	Fuel Pump Shut Off	.125″	Red/White		



Informational Strip Signs				
ltem #	Description	Thickness	Colours	
MSS1-3.5 x 14	Custom Text – limit 10 characters	.125″	Red or Black/ White	

Reflective Strips and **Piling Collars** are available in Wihite, Blue, Yellow & Red and significantly increase nighttime visibility. Made of 3M Reflective material, they can be customized with the size and text of your choice.

Pressure Sensitive Labels are an ideal marking solution for indoor/outdoor Boat Storage Racks. Available in **3M** Engineer Grade and **3M** High Intensity Prismatic Sheeting. Individual Letters/Numbers or One-Piece Sequential labels w/ optional barcode available.



LABELS Reflective

Material	Warranted Life	Chemical Resistance	Availab	le Colours
3M Reflective Engineer Grade	7-10 years	Good	Black on Yellow, Yellow on Black, Black on White White on Black, Black on Orange, Orange on Bla	
FS. 75: Letter size = .75"	Image: state stat	The state of the s	PS 2.0: Letter size = 2" high	FS 2.5: Letter size = 2.5" high
Marker size = .8" x .6" N	Aarker size = 1.25" x 1.13 56 characters per sheet	" Marker size = 1.5" H x 1"W	Marker size = 2.5" H x 1.5" W 21 characters per sheet	Marker size = 2.8" H x 1.75" W 15 characters per sheet
Item # for Sheet		Description		
PS1.2RY	Black on Yellow,1 1/4" Char, Overall Marker is 1"W $ imes$ 1 1/2" H, (55 per Sheet)			
PS1.2RY_R	Yello	w on Black,1 1/4″ Char, Ove	rall Marker is 1"W x 1 1/2" H,	(55 per Sheet)
PS1.2RW	Black	Black on White, 1 1/4" Char, Overall Marker is 1"W x 1 1/2" H, (55 per Sheet) White on Black,1 1/4" Char, Overall Marker is 1"W x 1 1/2" H, (55 per Sheet) Black on Orange,1 1/4" Char, Overall Marker is 1"W x 1 1/2" H, (55 per Sheet)		
PS1.2RW_R	Whit			
PS1.2RO	Black			

ļ /	•
PS1.2RY_R	Yellow on Black, 1 1/4" Char, Overall Marker is 1"W x 1 1/2" H, (55 per Sheet)
PS1.2RW	Black on White, 1 1/4" Char, Overall Marker is 1"W $ imes$ 1 1/2" H, (55 per Sheet)
PS1.2RW_R	White on Black,1 1/4" Char, Overall Marker is 1"W x 1 1/2" H, (55 per Sheet)
PS1.2RO	Black on Orange,1 1/4" Char, Overall Marker is 1"W x 1 1/2" H, (55 per Sheet)
PS1.2RO_R	Orange on Black,1 1/4" Char, Overall Marker is 1"W x 1 1/2" H, (55 per Sheet)
PS2.0RY	Black on Yellow, 2" Char, Overall Marker is 1 1/2" W x 2 1/2" H, (21 per Sheet)
PS2.0RY_R	Yellow on Black, 2" Char, Overall Marker is 1 1/2" W x 2 1/2" H, (21 per Sheet)
PS2.0RW	Black on White, 2" Char, Overall Marker is 1 1/2" W x 2 1/2" H, (21 per Sheet)
PS2.0RW_R	White on Black, 2" Char, Overall Marker is 1 1/2" W x 2 1/2" H, (21 per Sheet)
PS2.0RO	Black on Orange, 2" Char, Overall Marker is 2 1/2 H x 1 1/2" W, (21 per Sheet)
PS2.0RO_R	Orange on Black, 2" Char, Overall Marker is 2 1/2 H x 1 1/2" W, (21 per Sheet)
PS2.5RY	Black on Yellow, 2 1/2" Char, Overall Marker is 1 3/4" W x 2 7/8" H, (15 per Sheet)
PS2.5RY_R	Yellow on Black, 2 1/2" Char, Overall Marker is 1 3/4" W x 2 7/8" H, (15 per Sheet)
PS2.5RW	Black on White, 2 1/2" Char, Overall Marker is 1 3/4" W x 2 7/8" H, (15 per Sheet)
PS2.5RW_R	White on Black, 2 1/2" Char, Overall Marker is 1 3/4" W x 2 7/8" H, (15 per Sheet)
PS2.5RO	Black on Orange, 2 1/2" Char, Overall Marker is 1 3/4" W x 2 7/8" H, (15 per Sheet)
PS2.5RO_R	Orange on Black, 2 1/2" Char, Overall Marker is 1 3/4" W x 2 7/8" H, (15 per Sheet)
Item # for Cut	Description
PS1.2RYCUT	1.2 Reflective Black on Yellow pre-cuts, 100 pieces per bag
PS1.2RWCUT	1.2 Reflective Black on White pre-cuts, 100 pieces per bag
PS1.2SRW_R-CUT	1.2 Special Reflective Reverse White on Black, 100 pieces per bag
PS2.5RYCUT	2.5 Reflective Black on Yellow pre-cuts, 100 pieces per bag
PS2.5RWCUT	2.5 Reflective Black on White pre-cuts, 100 pieces per bag
· •	

LABELS KVA & Voltage Markers

Material	Warranted Life	Chemical Resistance	Available Colours
3M Engineer Grade	7-10 years	Good	Yellow, White

Identify KVA and voltage ratings day or night with Almetek's reflective markers. For use on padmounts, panels, conduits and circuits.



Description	ltem #
Reflective Yellow Colour,1 1/4" Char, Overall Marker is 1"W x 1 1/2" H, (55 per Sheet)	PS1.2RY
Reflective White Colour,1 1/4" Char, Overall Marker is 1"W \times 1 1/2" H, (55 per Sheet)	PS1.2RW
Reflective Yellow Colour,1 1/4" Char, Overall Marker is 1" W x 1 1/2" H, (55 per Sheet)	PS1.2NRY
Reflective Yellow Colour,1 1/4" Char, Overall Marker is 5 1/2"W x 1 1/2" H, (10 per Sheet)	PS1.5RY
Reflective White Colour,1 1/4" Char, Overall Marker is 5 1/2"W x 1 1/2" H, (10 per Sheet)	PS1.5RW
Reflective Yellow Colour,1 1/4" Char, Overall Marker is 5 1/2"W x 1 1/2" H, (10 per Sheet)	PS1.5NRY
Reflective Yellow Colour, 2 1/2" Char, Overall Marker is 1 3/4" W x 2 7/8" H, (15 per Sheet)	PS2.5RY
Reflective White Colour, 2 1/2" Char, Overall Marker is 1 3/4" W x 2 7/8" H, (15 per Sheet)	PS2.5RW
Reflective Yellow 3 1/4" W x 2 7/8" H, (6 per sheet) 2 digit numbers	PS2.8RY
Reflective White 4 3/4" W x 2 7/8" H, (4 per sheet) 3 digit numbers	PS2.8RW
Reflective Yellow 5 1/2" W x 2 7/8" H, (4 per sheet) 4 digit numbers	PS2.8NRY

LABELS Barcode Labels

Material	Warranted Life	Chemical Resistance	Available Colours	Sizes
3M Engineer Grade	7-10 years	Good	Yellow, White	Any

Barcodes are compatible with all systems and are available in a wide range of configurations and sizes. We routinely provide Code 39 density, up to 9.5 CPI to assure 100% scanner efficiency, and also meet requirements for code 128 densities.



PHASE MARKERS

Material	Warranted Life	Chemical Resistance	Sizes	Colours
Aluminium	7-10 years	Good		Black on Red, Black on
UV HD Polyethylene	7-10 years	Good	Standard sizes are 1 ³ / ₄ " x 3 ⁷ / ₈ ", 1 ¹ / ₈ " x 2 ¹ / ₂ " and ⁷ / ₈ " x 1 ⁵ / ₈ ".	Orange, Black on White,
Non-Reflective Scotchcal®	5 years	Good	Labels are available on	Black on Green, Black on Yellow or Black on
Reflective Scotchlite®	5 years	Good	convenient 3-hole punched sheets to fit 3-ring binders Blue. Custo	Blue. Custom Colours
High Intensity Scotchlite®	5 years	Good		Available


Safety is enhanced when phase marking is visible from the ground. Almetek's versatile phase marking products offer high visibility, durability, low cost and easy installation. Available in Polyethylene, Aluminium, and Pressure Sensitive. Wide selection of standard colours, sizes and styles - Custom markers also available.



BLANK



PM930



- UV and Chemical Resistant
- Easy to Read/Change
- Uniform Letters, Numbers, Symbols
- Non-Conductive, Non-Corrosive
- Unaffected by Temperature and Moisture Extremes
- Numerous Colour Choices
- Custom options available



Description	ltem #
"Blank" (⁷ / ₈ "H x 1 ⁵ / ₈ "W)	PM930_
A Phase" (⁷ / ₈ " H X 1 ⁵ / ₈ " W) Die # 258	PM931_
"B Phase" (⁷ / ₈ " H X 1 ⁵ / ₈ " W) Die # 259	PM932_
"C Phase" (⁷ / ₈ " H X 1 ⁵ / ₈ " W) Die # 260	PM933_
CUSTOM (⁷ / ₈ " H X 1 ⁵ / ₈ "W)	PM93C_
Blank (1 ¹ / ₈ " H X 2 ¹ / ₂ " W)	PM250_
"A Phase" (1 1/8" H X 2 1/2"W) Die #2717	PM251_
"B Phase" (1 1/8" H X 2 1/2"W) Die #2718	PM252_
"C Phase" (1 1/8" H X 2 1/2" W) Die #2719	PM253_
CUSTOM (1 1/8" H X 2 1/2"W)	PM25C_
Blank (1 ³ / ₄ " H X 3 ⁷ / ₈ " W)	PM0_
"A Phase" Horz (1 ³ / ₄ " H X 3 ⁷ / ₈ " W)	PM1_
"B Phase" Horz (1 ³ / ₄ " H X 3 ⁷ / ₈ "W)	PM2_
"C Phase" Horz (1 ³ / ₄ " H X 3 ⁷ / ₈ "W)	PM3_
CUSTOM (1 ³ / ₄ " H X 3 ⁷ / ₈ "W)	PMC_

MARKER POSTS

Material	Warranted Life	Chemical Resistance	Sizes	Colours
Fibreglass/Polymer	30 years	Excellent	60", 62", 66", 72" & 78"	Red, Orange, Yellow, Green, Blue, Brown.
C P A S I U E P T WE I E L O R I N E E CAU I E CAU I E I O R I N E DECORE DECORE DECORE DECORE DECORE DECORE DECORE DECORE N M E DECORE DECORE DECORE N M E I N M E I I I I I I I I I I I I I I I I I I		CABLE ROUTE ROUTE THE VICHITY WAR R N C R N C R N C R N C R N C R N C R N C R N C R N C R N C R N C R N C R N C R N C C C C	exible ng iistant sive Vandal Resistant ole tall	rable and designed to s. Made of UV-resistant
	P SE E SE S M A S S M A F I S M A S M A F I S M A F I S M A F I S M A S	H T I R K A E I R L MOTOR VEHICLS ADD HORESS PROHIBITED PROHIBITED WEICHS	CABLE ROUTE	P P P P P P P P P P P P P P P P P P P

HIT MARKER KIT



Designed to record damage to buried lines, Almetek's compact kit makes it easy to report damage consistently and record every accident.



Almetek's HIT Marker Kit conforms to (CGA) Common Ground Alliance, Best Practice Documentation. Use film or digital camera photographs of damage from excavation. Rule can stand on edge or flat on ground with two anchoring spikes. Complete setup and photographic instructions are included in every HIT Marker Kit.

STANDARD KIT:

CUSTOM KIT:

6' roll up rule

3 anchor spikes

2 fibreglass markers

Location/Date/Time Board

Compact crush-proof case

- 6' roll up rule with your company name & logo
 - 3 anchor spikes
 - 2 fibreglass markers
 - Location/Date/Time Board
 - Compact crush-proof case

Description	ltem #
Standard Kit	HMK-0015
Custom Kit	HMK-001C

E-Z SMART STAKES

Material	Warranted Life	Chemical Resistance	Available Colours	Specs
UV HD Polyethylene	10-30 years	Excellent	Red, Yellow, Orange, Blue, Green, Purple, White, Pink.	.055″ x 1.75″ x 12″

For survey and construction sites, underground utility locating, reference points and a wide variety of additional uses, Almetek's E-Z Smart Stakes™ eliminates the guess work and provide a superior alternative marking system.



9 B.	Description	ltem #
	Fiber Optic Cable - Orange	SSM-101 / SSM-101A
	Electric Power Line - Red	SSM-102 / SSM-102A
	Electric Power cable - Red	SSM-103 / SSM-103A
	Natural Gas Line - Yellow	SSM-104 / SSM-104A
	Petroleum Pipe Line - Yellow	SSM-105 / SSM-105A
	Water Line - Blue	SSM-106 / SSM-106A
	Sewer Line - Green	SSM-107 / SSM-107A
	Storm Sewer Line - Green	SSM-108 / SSM-108A
	Telephone Cable - Orange	SSM-109 / SSM-109A
	Non-Potable Water - Purple	SSM-110 / SSM-110A
	Proposed Excavation - White	SSM-111 / SSM-111A
5	Temp. Survey Marking - Pink	SSM-112 / SSM-112A

ALMETEK PRODUCT LINES

POLE MARKERS

- E-Z Tags
- One-Piece Pole Tag
- Laser Barcodes
- Defective Pole Markers
- Pole Inspection Tags

TRANSMISSION PLATES & AERIAL OBSERVATION TAGS

PRESSURE SENSITIVE LETTERS, NUMBERS & LABELS

E-Z WRAPS & FLAGS

NAME PLATES

- Identification Data & Name Plates
- Boiler and Pressure Vessel
- Fire Door & Windows

SIGNS

- Substation
- Arc Flash Hazard
- Magnetic Tailboard
- Engraved Co-Extruded
- Trident[™]
- Fire & Exit
- Custom
- Marina
- Maritime
- Beach
- Railroad
- Specialty
- Non-Corrosive Chemical Resistant

PHASE MARKERS & CABLE/FIBER OPTIC MARKERS

LOCKOUT / TAGOUT MINI-TAGS REFLECTIVE GRIDS & DELINEATORS

UNDERGROUND SAFETY PRODUCTS

- Dial Before You Dig Utility Markers
- E-Z SmartStakes™
- E-Z Hit Marker Kit
- Marker Posts
- Mini Curb-Markers
- Confined Space Markers

WALKWAY / ROADWAY SAFETY

WIND FARM SAFETY

ALMETEK ENVIRONMENT



Underground Safety

E-Z Wraps & Flags

Walkway/Roadway Safety

DANGER

BEING PATROL

WORKER ON LIM

GROUNDS





Available in 2". 3". 4" & 6"

Transmission Plates &

Aerial Observation Tags

Mounting Accessories



Name Plates



Environmental Markers & Labels



Pressure Sensitive Letters, Numbers & Labels



Mini-Tags



PV System Salety Labers



Lockout/Tagout



PRODUCT LIST

Electrical Power

- Transmission Line Products

 Insulator Straps for concrete,
- steel and wood poles • Eyebolts
- JHooks
- Hook BoltsWeak Links
- Weak Links
- Hook Brackets
- Transformer hanging brackets
- Eyenuts
- Regulator Platforms
- Braces
- Pole bands
- Steel Cross arms
- Pole Steps
- Pole top brackets
- Earthing clips
- Stay rods
- Link plates
- ABC fittings
- Yokes
- Q hooks
- UGOH brackets

Poles and Accessories

- Power transmission poles
- Street lighting columns and outreaches
- Traffic signal posts
- Sign mounting structures and variable
 message sign structures
- Camera poles
- Special purpose poles
- Ragbolts and foundation bolts
- Sportslighting
- Multi-function poles

Downee Elgate Fence and

- Gate Fittings
- Universal fence fitting systems
- Safety Gate latches
- Pipe clamps
- Bolt and Gate Accessories
- Caps
- Sliding door systems and tracks
- Brackets
- Rural fittings
- Flanges
- Farm gate packs
- Temporary Fence fittings
- Ring chain catches
- Hinges
- Gudgeons
- Gate hinge gudgeon straps
- Catches and Latches
- Bolt through gudgeons, combination straps
 - Double gate and field gate fasteners

Pipe Supports

- Spring isolation hangers, channel framing systems and accessories
- Pipe insulation ferrules
- Pipe clamps
- Pipe supports for power stations, refineries and chemical plants
- U bolts and hanger rods
- Hanger rod and beam attachments
- Pipe rollers and pipe shoes

Almetek Identification Systems

- E-Z tag pole numbering systems
- Pressure sensitive stickers (numbers and alphabets)
- Private pole signs and labels
- Rural addressing
- HDPE signs coextruded (standard & custom made)
- Ultima Engraced HDPE tags
- Marina signs

National Sales

Marleston SA 5033

M. 0428 420 811

Paul Tessari

4/224-226 Richmond Road

E. paul@haymanindustries.com.au

- Drain and cable markers
- Variety of other signs and asset identification options

CONTACT US

Sydney (Head Office)

119 Airds Road Minto NSW 2566 T. 02 8796 2600 F. 02 8796 2655 E. sales@haymanindustries.com.au

Perth

4/42 Commerce Ave Armadale WA 6112 Denholm Griffin M. 0438 731 304 E. denholm@haymanindustries.com.au



If You Identify With Quality, You Identify With Us™

Brisbane

8A/600 Sherwood Road Sherwood QLD 4075 T. 07 3077 6792 E. sales@haymanindustries.com.au

Call 1800 639 345

www.haymanindustries.com.au

ABN 83 000 220 771



